



# 高速钢钻头

# High-speed steel drill

## 直柄加长钻头 Straight shank lengthening drill bit



尺寸	刃径	刃长	全长	单价(人民币)	
				L6542	M35
5.6	100	150	69	86	
		200	95	119	
		250	125	156	
		300	155	194	
		400	220	275	
5.7	100	150	69	86	
		200	95	119	
		250	125	156	
		300	155	194	
		400	220	275	
5.8	100	150	69	86	
		200	95	119	
		250	125	156	
		300	155	194	
		400	220	275	
5.9	100	150	69	86	
		200	95	119	
		250	125	156	
		300	155	194	
		400	220	275	
6.0	100	150	69	86	
		200	95	119	
		250	125	156	
		300	155	194	
		400	220	275	
6.1	100	150	69	86	
		200	95	119	
		250	125	156	
		300	155	194	
		400	220	275	
6.2	100	150	69	86	
		200	95	119	
		250	125	156	
		300	155	194	
		400	220	275	
6.3	100	150	69	86	
		200	95	119	
		250	125	156	
		300	155	194	
		400	220	275	
6.4	100	150	69	86	
		200	95	119	
		250	125	156	
		300	155	194	
		400	220	275	
6.5	100	200	105	131	
		250	150	188	
		300	175	219	
		400	285	356	
		500	370	463	
6.6	100	200	105	131	
		250	150	188	
		300	175	219	
		400	285	356	
		500	370	463	
6.7	100	200	105	131	
		250	150	188	
		300	175	219	
		400	285	356	
		500	370	463	
6.8	100	200	105	131	
		250	150	188	
		300	175	219	
		400	285	356	
		500	370	463	
6.9	100	200	105	131	
		250	150	188	
		300	175	219	
		400	285	356	
		500	370	463	
7.0	100	200	105	131	
		250	150	188	
		300	175	219	
		400	285	356	
		500	370	463	
7.1	100	200	105	131	
		250	150	188	
		300	175	219	

刃径	刃长	全长	L6542	M35
7.2	100	200	120	150
		250	152	190
		300	250	313
7.3	100	200	120	150
		250	152	190
		300	250	313
7.4	100	200	120	150
		250	152	190
		300	250	313
7.5	100	200	120	150
		250	152	190
		300	250	313
7.6	100	200	130	163
		250	165	206
		300	220	275
7.7	100	200	130	163
		250	165	206
		300	220	275
7.8	100	200	130	163
		250	165	206
		300	220	275
7.9	100	200	130	163
		250	165	206
		300	220	275
8.0	100	200	130	163
		250	165	206
		300	220	275
8.1	100	200	145	181
		250	185	231
		300	238	298
8.2	100	200	145	181
		250	185	231
		300	238	298
8.3	100	200	145	181
		250	185	231
		300	238	298
8.4	100	200	145	181
		250	185	231
		300	238	298
8.5	100	200	145	181
		250	185	231
		300	238	298
8.6	100	200	152	190
		250	195	244
		300	266	333
8.7	100	200	152	190
		250	195	244
		300	266	333
8.8	100	200	152	190
		250	195	244
		300	266	333
8.9	100	200	152	190
		250	195	244
		300	266	333
9.0	100	200	152	190
		250	195	244
		300	266	333
9.1	100	200	162	203
		250	220	275
		300	285	356
9.2	100	200	162	203
		250	220	275
		300	285	356

尺寸	刃径	刃长	全长	L6542	M35
9.3	100	200	162	203	
		250	220	275	
		300	285	356	
9.4	100	200	162	203	
		250	220	275	
		300	285	356	
9.5	100	200	162	203	
		250	220	275	
		300	285	356	
9.6	100	200	171	214	
		250	238	298	
		300	295	369	
9.7	100	200	171	214	
		250	238	298	
		300	295	369	
9.8	100	200	171	214	
		250	238	298	
		300	295	369	
9.9	100	200	171	214	
		250	238	298	
		300	295	369	
10.0	100	200	171	214	
		250	238	298	
		300	295	369	
10.1	100	200	185	231	
		250	252	315	
		300	305	381	
10.2	100	200	185	231	
		250	252	315	
		300	305	381	
10.3	100	200	185	231	
		250	252	315	
		300	305	381	
10.4	100	200	185	231	
		250	252	315	
		300	305	381	
10.5	100	200	185	231	
		250	252	315	
		300	305	381	
10.6	120	250	280	350	
		300	335	419	
		400	475	594	
10.7	120	250	280	350	
		300	335	419	
		400	475	594	
10.8	120	250	280	350	
		300	335	419	
		400	475	594	
10.9	120	250	280	350	
		300	335	419	
		400	475	594	
11.0	120	250	280	350	
		300	335	419	
		400	475	594	
11.1	120	250	295	369	
		300	352	440	
		400	495	619	
11.2	120	250	295	369	
		300	352	440	
		400	495	619	
11.3	120	250	295	369	
		300	352	440	
		400	495	619	
11.4	120	250	295	369	
		300	352	440	
		400	495	619	
11.5	120	250	295	369	
		300	352	440	
		400	495	619	

尺寸	刃径	刃长	全长	L6542	M35
11.6	120	250	315	394	
		300	371	464	
		400	515	644	
11.7	120	250	315	394	
		300	371	464	
		400	515	644	
11.8	120	250	315	394	
		300	371	464	
		400	515	644	
11.9	120	250	315	394	
		300	371	464	
		400	515	644	
12.0	120	250	315	394	
		300	371	464	
		400	515	644	
12.1	120	250	330	413	
		300	410	513	
		400	550	688	
12.2	120	250	330	413	
		300	410	513	
		400	550	688	
12.3	120	250	330	413	
		300	410	513	
		400	550	688	
12.4	120	250	330	413	
		300	410	513	
		400	550	688	
12.5	120	250	330	413	
		300	410	513	
		400	550	688	
12.6	120	250	350	438	
		300	465	581	
		400	635	794	
12.7	120	250	350	438	
		300	465	581	
		400	635	794	
12.8	120	250	350	438	
		300	465	581	
		400	635	794	
12.9	120	250	350	438	
		300	465	581	
		400	635	794	
13.0	120	250	350	438	
		300	465	581	
		400	635	794	

- 快速钻孔
- 镗孔系统
- 钻头
- 铰刀
- 快速钻头
- 铲钻
- 定心钻头
- VMD 大钻头
- 钻尖
- 空心钻头
- 油路配件
- LBK BST 镗孔刀柄
- HBOR CBI CBH 镗孔系统
- NBJ NBH 镗孔套装
- TWE RBH 粗镗系统
- 钻头
- 铰刀





### SG-ESS铣刀柄钻头 SG-ESS milling cutter bit



材质 SG 具有短长度的钻头, 适用工件材料从碳钢和不锈钢到铝 产品编码: 528...

尺寸				单价
刃径	刃长	全长	柄径	LIST 7572P
1.0	6	38	3	62
1.1	6	38	3	57
1.1	7	39	3	57
1.2	7	39	3	57
1.2	8	40	3	57
1.3	8	40	3	57
1.3	8	40	3	57
1.4	9	41	3	57
1.4	9	41	3	57
1.5	9	41	3	57
1.5	9	41	3	57
1.6	10	42	3	51
1.6	10	42	3	51
1.7	10	42	3	51
1.7	10	42	3	51
1.8	11	43	3	51
1.8	11	43	3	51
1.9	11	43	3	51
1.9	11	43	3	51
2.0	12	44	3	51
2.0	12	44	3	61
2.1	12	44	3	61
2.1	12	44	3	61
2.2	13	45	3	61
2.2	13	45	3	61
2.3	13	45	3	61
2.3	13	45	3	61
2.4	13	45	3	61
2.4	14	46	3	61
2.5	14	46	3	61
2.5	14	46	3	61
2.6	14	46	3	61
2.6	14	46	3	61
2.7	14	46	3	61
2.7	16	48	3	61
2.8	16	48	3	61
2.8	16	48	3	61
2.9	16	48	3	61
2.9	16	48	3	61
3.0	16	48	3	61
3.0	16	48	3	61
3.1	18	50	4	72
3.1	18	50	4	72
3.2	18	50	4	72
3.2	18	50	4	72
3.3	18	50	4	72
3.3	18	50	4	72
3.3	18	50	4	72
3.4	18	50	4	72
3.4	20	52	4	72
3.5	20	52	4	72
3.5	20	52	4	72
3.6	20	52	4	79
3.6	20	52	4	79
3.7	20	52	4	79
3.7	20	52	4	79
3.8	20	52	4	79
3.8	22	54	4	79
3.9	22	54	4	79
3.9	22	54	4	79
4.0	22	54	4	79
4.0	22	54	4	79
4.1	22	54	4	79
4.1	22	66	6	89
4.1	22	66	6	89
4.2	22	66	6	89
4.2	22	66	6	89
4.3	22	66	6	89
4.3	24	68	6	89
4.3	24	68	6	89
4.4	24	68	6	89
4.4	24	68	6	89
4.5	24	68	6	89
4.5	24	68	6	89
4.6	24	68	6	101
4.6	24	68	6	101

尺寸				单价
刃径	刃长	全长	柄径	LIST 7572P
4.7	24	68	6	101
4.7	24	68	6	101
4.8	24	68	6	101
4.8	26	70	6	101
4.9	26	70	6	101
4.9	26	70	6	101
5.0	26	70	6	101
5.0	26	70	6	101
5.1	26	70	6	120
5.1	26	70	6	120
5.2	26	70	6	120
5.2	26	70	6	120
5.3	26	70	6	120
5.3	26	70	6	120
5.4	28	72	6	120
5.4	28	72	6	120
5.5	28	72	6	120
5.5	28	72	6	120
5.6	28	72	6	128
5.6	28	72	6	128
5.7	28	72	6	128
5.7	28	72	6	128
5.8	28	72	6	128
5.8	28	72	6	128
5.9	28	72	6	128
5.9	28	72	6	128
6.0	28	72	6	128
6.0	28	72	6	128
6.1	31	75	8	135
6.2	31	75	8	135
6.3	31	75	8	135
6.4	31	75	8	135
6.5	31	75	8	135
6.6	31	75	8	140
6.7	31	75	8	140
6.8	34	78	8	140
6.9	34	78	8	140
7.0	34	78	8	140
7.1	34	78	8	147
7.2	34	78	8	147
7.3	34	78	8	147
7.4	34	78	8	147
7.5	34	78	8	147
7.6	37	81	8	155
7.7	37	81	8	155
7.8	37	81	8	155
7.9	37	81	8	155
8.0	37	81	8	155
8.1	37	81	10	167
8.2	37	81	10	167
8.3	37	81	10	167
8.4	37	81	10	167
8.5	37	81	10	167
8.6	40	90	10	180
8.7	40	90	10	180
8.8	40	90	10	180
8.9	40	90	10	180
9.0	40	90	10	180
9.1	40	90	10	192
9.2	40	90	10	192
9.3	40	90	10	192
9.4	40	90	10	192
9.5	40	90	10	192
9.6	43	93	10	204
9.7	43	93	10	204
9.8	43	93	10	204
9.9	43	93	10	204
10.0	43	100	10	204
10.1	43	100	12	222
10.2	43	100	12	222
10.3	43	100	12	222
10.4	43	100	12	222
10.5	43	100	12	222

尺寸				单价
刃径	刃长	全长	柄径	LIST 7572P
10.6	43	100	12	244
10.7	47	104	12	244
10.8	47	104	12	244
10.9	47	104	12	244
11.0	47	104	12	244
11.1	47	104	12	275
11.2	47	104	12	275
11.3	47	104	12	275
11.4	47	104	12	275
11.5	47	104	12	275
11.6	47	104	12	299
11.7	47	104	12	299
11.8	47	104	12	299
11.9	51	108	12	299
12.0	51	108	12	299
12.1	51	108	12	324
12.2	51	108	12	324
12.3	51	108	12	324
12.4	51	108	12	324
12.5	51	108	12	324
12.6	51	108	12	352
12.7	51	108	12	352
12.8	51	108	12	352
12.9	51	108	12	352
13.0	51	108	12	352
13.5	72	132	16	491
14.0	72	132	16	491
14.5	76	136	20	540
15.0	76	142	20	650
15.5	80	146	20	695
16.0	80	146	20	695
16.5	84	150	20	721
17.0	84	150	20	721
17.5	87	153	20	778
18.0	87	153	20	778
18.5	90	156	20	829
19.0	90	164	25	829
19.5	94	168	25	1025
20.0	94	168	25	1025

\* 其余规格另询价!  
Other specifications are available for inquiry!

### 钨钢中心钻

Tungsten steel fixed point drill, center drill



材质 F450 钨钢中心钻 产品编码: 532...

尺寸				单价
刃径	刃长	柄径	全长	(人民币)
Ø1.0	2.4	4	38	64
Ø1.5	2.4	4	38	64
Ø2.0	2.9	4	50	64
Ø2.0	2.9	6	50	110
Ø2.5	3.1	6	50	110
Ø3.0	3.9	6	50	110
Ø3.0	3.9	8	50	160
Ø4.0	5.0	10	65	250
Ø5.0	6.3	12	60	310

### 高速钢中心钻 产品编码: 529...

High speed steel center drill



材质 HSS 通用型  
标示说明: 刃径×柄径×全长

规格尺寸	单价
0.4×3.0×31	110
0.5×3.0×31	86
0.6×3.5×36	77
0.8×4.0×36	59
1.0×4.0×36	49
1.2×5.0×42	45
1.5×5.0×42	37
2.0×5.0×42	37
2.5×6.0×47	43
3.0×7.7×57	52
3.2×7.7×57	52
4.0×10×69	103
5.0×11×69	111
6.0×16×90	271
8.0×18×100	425
10×18×100	425


- 快速钻孔
- 镗孔加工系统
- 钻头
- 铰刀
- 快速钻头
- 铲钻
- 定心钻头
- VMD大钻头
- 钻尖
- 空心钻头
- 油路配件
- LBK BST镗孔刀柄
- HBOR CBI CBH精镗系统
- NBJ NBH镗孔套
- TWE RBH粗镗系统
- 钻头
- 铰刀

# 高速钢钻头

# High-speed steel drill

## 钨钢钻头 产品编码: 535...


Tungsten steel drill bit



直径 d	全长 L	刃长 l	单价 Price
1.0-2.0	50	22	36
2.1-3.1	50	22	40
3.2-3.5	50	22	44
3.6-4.1	50	22	52
4.2-4.5	50	25	64
4.6-5.1	50	25	76
5.2-5.5	50	25	92
5.6-6.1	50	35	100
6.2-6.5	65	35	124
6.6-7.1	65	40	140
7.2-7.5	70	40	164
7.6-8.1	70	40	180
8.2-8.5	75	40	212
8.6-9.1	75	40	232
9.2-9.5	80	40	260
9.6-10.1	80	40	280
10.2-11.0	80	40	312
11.1-11.5	100	50	432
11.6-12.1	100	50	452
12.2-12.5	100	50	500
12.6-13.0	100	50	524

## 钨钢定柄钻头 产品编码: 531...

Tungsten steel fixed shank bit




直径 d	刃长 l	全长 L	柄径 D	单价 Price
1.0	8	42	3	80
1.1-1.3	10	42	3	80
1.4-1.5	11	42	3	80
1.6-1.7	12	42	3	80
1.8-1.9	13	42	3	80
2.0-2.9	14	50	3	88
3.0	16	50	3	88
3.1-3.3	20	60	4	120
3.4-3.7	22	60	4	120
3.8-4.0	24	60	4	120
4.1-5.0	26	62	5	160
5.1-5.5	28	66	6	196
5.6-6.0	30	66	6	196
6.1-6.6	34	74	7	292
6.8-7.0	37	74	7	292
7.1-8.0	40	79	8	360
8.1-9.0	43	84	9	392
9.1-10.0	47	89	10	464
10.1-11.0	51	95	11	680
11.1-12.0	54	102	12	820
12.1-13.0	57	102	13	920
13.1-14.0	60	107	14	1100

■ 适用于NC加工, 可加工铸钢、铸铁、冷硬铸钢、可锻铸铁、耐磨塑料等难切削材料。适用于高速进给、高速切削, 使用寿命长, 快速缩短加工时间, 提升效率。

■ For NC processing, can process cast steel, cast iron, chilled cast steel, malleable iron, wear-resistant plastic and other difficult to cut materials. For high-speed feed, high-speed cutting, the use of long life, fast shorten the processing time and enhance efficiency.


## 90° 钨钢NC定点钻头

90° tungsten steel drill bit fixed-point NC




## 90° 钨钢镀钛NC定点钻头

90° W-Ti-coated steel drill bit fixed-point NC




## 120° 钨钢NC定点钻头

120° tungsten steel drill bit fixed-point NC




## 120° 钨钢镀钛NC定点钻头

120° W-Ti-coated steel drill bit fixed-point NC



## 钨钢机械绞刀 H7

Tungsten steel mechanical reamer



■ 适用于HRC55 以内的合金钢、不锈钢、钛合金、铸铁等难切削材料绞孔。

■ For less than HRC55 steel, stainless steel, titanium, cast iron and other hard Twisted hole cut materials.

订购编码 Order Number	型号 Cat. No	尺寸 Size			单价 Price
		直径 d	全长 L	刃长 l	
541100	WGDDZ03D90C	3	45	10	56
541102	WGDDZ04D90C	4	50	12	56
541104	WGDDZ05D90C	5	50	15	100
541106	WGDDZ06D90C	6	60	20	100
541108	WGDDZ08D90C	8	60	25	188
541110	WGDDZ10D90C	10	75	25	316
541112	WGDDZ12D90C	12	75	30	428
541114	WGDDZ16D90C	16	16	35	1076

订购编码 Order Number	型号 Cat. No	尺寸 Size			单价 Price
		直径 d	全长 L	刃长 l	
541200	WGDDZ03D90CT	3	45	10	62
541202	WGDDZ04D90CT	4	50	12	62
541204	WGDDZ05D90CT	5	50	15	111
541206	WGDDZ06D90CT	6	60	20	111
541208	WGDDZ08D90CT	8	60	25	209
541210	WGDDZ10D90CT	10	75	25	351
541212	WGDDZ12D90CT	12	75	30	476
541214	WGDDZ16D90CT	16	16	35	1196

订购编码 Order Number	型号 Cat. No	尺寸 Size			单价 Price
		直径 d	全长 L	刃长 l	
541300	WGDDZ03D120C	3	45	10	62
541302	WGDDZ04D120C	4	50	12	62
541304	WGDDZ05D120C	5	50	15	111
541306	WGDDZ06D120C	6	60	20	111
541308	WGDDZ08D120C	8	60	25	209
541310	WGDDZ10D120C	10	75	25	351
541312	WGDDZ12D120C	12	75	30	476
541314	WGDDZ16D120C	16	16	35	1196

订购编码 Order Number	型号 Cat. No	尺寸 Size			单价 Price
		直径 d	全长 L	刃长 l	
541400	WGDDZ03D120CT	3	45	10	69
541402	WGDDZ04D120CT	4	50	12	69
541404	WGDDZ05D120CT	5	50	15	123
541406	WGDDZ06D120CT	6	60	20	123
541408	WGDDZ08D120CT	8	60	25	232
541410	WGDDZ10D120CT	10	75	25	390
541412	WGDDZ12D120CT	12	75	30	528
541414	WGDDZ16D120CT	16	16	35	1328

直径 D1 Diameter	刃长 L1 Flute Length	全长 L Overall Length	柄径 D Shank Diameter	刃数 Flute Number	单价 Price
2.0	25	50	2.0	4	40
2.5	25	50	2.5	4	40
3.0	25	50	3.0	4	40
3.5	25	50	3.5	4	56
4.0	25	50	4.0	4	56
4.5	25	50	4.5	4	76
5.0	25	50	5.0	4	76
5.5	25	50	5.5	4	104
6.0	30	60	6.0	6	104
6.5	30	60	6.5	6	152
7.0	35	70	7.0	6	152
8.0	40	70	8.0	6	184
9.0	40	75	9.0	6	236
10.0	40	75	10.0	6	280
11.0	40	75	11.0	6	380
12.0	40	80	12.0	6	396
13.0	50	100	13.0	6	544
14.0	50	100	14.0	6	632
15.0	50	100	15.0	6	740
16.0	50	100	16.0	6	800
17.0	50	100	17.0	6	900
18.0	50	100	18.0	6	996
19.0	50	100	19.0	6	1152
20.0	50	100	20.0	6	1276

快速  
钻孔

镗孔  
工系统

钻头

铰刀

快速  
钻头

铲钻

定心  
钻头

VMD  
大钻头

钻尖

空心  
钻头

油路  
配件

LBK  
BST  
镗孔  
刀柄

HBOR  
CBI  
CBH  
精镗  
系统

NBJ  
NBH  
镗孔  
套装

TWE  
RBH  
粗镗  
系统


钻头

铰刀

### SWRMT

#### 螺旋焊刃式超微粒钨钢左旋机械铰刀-莫氏锥柄

Spiral welded edge ultrafine tungsten steel Left-handed mechanical reamer - Morse taper shank



公制规格

订购编码 Order Number	规格 Type	尺寸 Size(mm)						单价 Price
		外径 D(H7)	刃长 H	工作长 L	颈径 d <sub>1</sub>	莫氏锥柄 MT	齿数 T	
551100	SWRMT-12	12	20	150	11	2#	4	390
551102	SWRMT-14	14	20	150	13	2#	4	410
551104	SWRMT-15	15	25	150	14	3#	4	465
551106	SWRMT-16	16	25	150	15	3#	4	465
551108	SWRMT-17	17	25	150	16	3#	4	510
551110	SWRMT-18	18	35	200	17	3#	5	715
551112	SWRMT-19	19	35	200	18	3#	5	730
551114	SWRMT-20	20	35	200	19	3#	5	735
551116	SWRMT-22	22	35	200	20	3#	5	830
551118	SWRMT-23	23	35	200	21	3#	5	835
551120	SWRMT-24	24	35	200	22	3#	5	865
551122	SWRMT-25	25	35	200	22	3#	5	840
551124	SWRMT-28	28	35	230	25	4#	6	1160
551126	SWRMT-30	30	35	230	26	4#	6	1195
551128	SWRMT-32	32	35	230	28	4#	6	1245
551130	SWRMT-35	35	35	230	31	4#	6	1360
551132	SWRMT-40	40	40	260	34	4#	6	1650
551134	SWRMT-42	42	40	260	36	4#	6	1810
551136	SWRMT-45	45	40	260	38	4#:5#	6	2020
551138	SWRMT-50	50	50	300	44	4#:5#	6	2520
551140	SWRMT-55	55	50	300	46	4#:5#	8	3070
551142	SWRMT-60	60	50	300	50	4#:5#	8	3300

### SWRIMT

#### 螺旋焊刃式超微粒钨钢左旋机械铰刀-莫氏锥柄

Spiral Welding Edge Type Ultra-fine Particle Tungsten Steel Left-hand Mechanical Reamer - Morse Taper Shank


英制规格

订购编码 Order Number	规格 Type	尺寸 Size(mm)						单价 Price
		外径 D(H7)	刃长 H	工作长 L	颈径 d <sub>1</sub>	莫氏锥柄 MT	齿数 T	
551200	SWRIMT-1/2"	1/2"	20	150	12	2#	4	410
551202	SWRIMT-5/8"	5/8"	25	150	15	3#	4	465
551204	SWRIMT-3/4"	3/4"	35	200	18	3#	5	735
551206	SWRIMT-7/8"	7/8"	35	200	20	3#	5	865
551208	SWRIMT-1"	1"	35	200	22	3#	5	1160
551210	SWRIMT-1"1/8	1"1/8	35	230	25	4#	6	1195
551212	SWRIMT-1"1/4	1"1/4	35	230	28	4#	6	1245
551214	SWRIMT-1"3/8	1"3/8	35	230	31	4#	6	1360
551216	SWRIMT-1"1/2	1"1/2	35	260	34	4#	6	1650
551218	SWRIMT-1"5/8	1"5/8	40	260	36	4#	6	1810
551220	SWRIMT-1"3/4	1"3/4	40	260	38	4#	6	2020
551222	SWRIMT-1"7/8	1"7/8	40	260	40	4#	6	2520
551224	SWRIMT-2"	2"	50	300	44	4#	6	3070

### SWRM

#### 螺旋焊刃式超微粒钨钢左旋机械铰刀-直柄

Spiral-welded ultrafine particles Tungsten steel left-hand mechanical reamer - straight shank



订购编码 Order Number	规格 Type	尺寸 Size(mm)							单价 Price
		外径 D(H7)	刃长 H	工作长 L	颈径 d <sub>1</sub>	柄径 d(h7)	柄长 L <sub>1</sub>	齿数 T	
551300	SWRM-12	12	20	120	11	12	50	4	270
551302	SWRM-14	14	20	150	13	16	60	4	305
551304	SWRM-15	15	20	150	14	16	60	4	315
551306	SWRM-16	16	25	150	15	16	60	4	340
551308	SWRM-20	20	35	200	19	20	60	5	550
551310	SWRM-25	25	35	200	20	20	60	5	630

- 快速钻头
- 镗孔加工系统
- 钻头
- 铰刀
- 快速钻头
- 铲钻
- 定心钻头
- VMD 大钻头
- 钻尖
- 空心钻头
- 油路配件
- LBK BST 镗孔刀柄
- HBOR CBI CBH 精镗系统
- NBJ NBH 镗孔套装
- TWE RBH 粗镗系统
- 钻头
- 铰刀


# 高精度铰刀

# High precision reamer

## SWRI

### 对焊式超微粒钨钢头 左旋机械铰刀-直柄

Butt-welded ultra-fine tungsten steel head  
Left-handed mechanical reamer - straight shank




英制规格

订购编码 Order Number	规格 Type	尺寸 Size(mm)							单价 Price
		外径 D(H7)	刃长 H	颈径 d <sub>1</sub>	柄长 L <sub>1</sub>	柄径 d(h7)	全长 L	齿数 T	
551400	SWRI-1/8"	1/8"	20	3	35	3	75	4	
551402	SWRI-3/16"	3/16"	20	4.4	35	4	75	4	
551404	SWRI-1/4"	1/4"	30	6	40	6	130	4	
551406	SWRI-5/16"	5/16"	30	7.5	40	8	130	5	
551408	SWRI-3/8"	3/8"	30	9.3	40	10	130	5	
551410	SWRI-7/16"	7/16"	30	10.8	40	12	130	6	
551412	SWRI-1/2"	1/2"	30	12	40	12	130	6	

## SWM

### 焊刃式超微粒钨钢不等分 左旋机械铰刀-直柄

Welding edge type ultrafine tungsten steel is not equal  
Left-handed mechanical reamer - straight shank




订购编码 Order Number	规格 Type	尺寸 Size(mm)						单价 Price
		外径 D(H7)	刃长 H	柄长 L <sub>1</sub>	柄径 d(h7)	全长 L	齿数 T	
551500	SWM-6	6	26	32	6	93	6T	
551502	SWM-7	7	31	36	7	109	6T	
551504	SWM-8	8	33	42	8	117	6T	
551506	SWM-9	9	36	42	9	125	6T	
551508	SWM-10	10	38	45	10	133	6T	
551510	SWM-11	11	41	48	10	142	6T	
551512	SWM-12	12	44	50	10	151	6T	
551514	SWM-13	13	44	50	10	151	6T	
551516	SWM-14	14	47	53	12.5	160	6T	
551518	SWM-15	15	50	55	12.5	162	6T	
551520	SWM-16	16	52	58	12.5	170	6T	
551522	SWM-17	17	54	62	14	175	6T	
551524	SWM-18	18	56	64	14	182	6T	
551526	SWM-19	19	58	66	16	189	6T	
551528	SWM-20	20	60	68	16	195	6T	

## SWMT

### 焊刃式超微粒钨钢不等分 左旋机械铰刀-莫式锥柄

Welding edge type ultrafine tungsten steel is not equal  
Left-handed mechanical reamer - Mo-style taper shank



订购编码 Order Number	规格 Type	尺寸 Size(mm)					单价 Price
		外径 D(H7)	刃长 H	全长 L	莫式锥柄 MT	齿数 T	
551600	SWMT-10	10	38	168	1#	6	
551602	SWMT-11	11	41	175	1#	6	
551604	SWMT-12	12	44	182	1#	6	
551606	SWMT-13	13	44	182	1#	6	
551608	SWMT-14	14	47	189	1#	6	
551610	SWMT-15	15	50	204	2#	6	
551612	SWMT-16	16	52	210	2#	6	
551614	SWMT-17	17	54	214	2#	6	
551616	SWMT-18	18	56	219	2#	6	
551618	SWMT-19	19	58	223	2#	6	
551620	SWMT-20	20	60	228	2#	6	
551622	SWMT-22	22	64	237	2#	6	
551624	SWMT-24	24	68	268	2#	8	
551626	SWMT-25	25	68	268	2#	8	
551628	SWMT-26	26	70	273	3#	8	
551630	SWMT-27	27	71	277	3#	8	
551632	SWMT-28	28	71	277	3#	8	
551634	SWMT-30	30	73	281	3#	8	
551636	SWMT-32	32	77	317	4#	8	
551638	SWMT-35	35	78	321	4#	8	
551640	SWMT-36	36	79	325	4#	8	
551642	SWMT-38	38	81	329	4#	8	
551644	SWMT-40	40	81	329	4#	8	

快速  
钻头

镗孔  
加工系  
统

钻头

铰刀

快速  
钻头

铲钻

定心  
钻头

VMD  
大钻头

钻尖

空心  
钻头

油路  
配件

LBK  
BST  
镗孔  
刀柄

HBOR  
CBI  
CBH  
精镗  
系统

NBJ  
NBH  
镗孔  
套装

TWE  
RBH  
粗镗  
系统

钻头

铰刀